Volume 8 - Index
1953

# JOURNAL OF ANALYTICAL CHEMISTRY of the USSR

ЖУРНАЛ АНАЛИТИЧЕСКОЙ ХИМИИ
(ZHURNAL ANALITICHESKOI KHIMII)

TRANSLATED FROM RUSSIAN

CONSULTANTS BUREAU, NEW YORK

# AUTHOR INDEX

## 1953


Alimarin. I.P., and M. N. Petrikova. Ultramicro method of chemical analysis. 2. Electrolytic separation and detection of metals, 11.

Alimarin, I.P., and V.N.Polyansky. Extraction of Mb from HCl solutions by means of ether, 295.

Andreev. S.N., see Shchukarev. S.A.

Babko, A.K. Criticism of article on "Quantitative determination of Fe(III) by means of tetraborate", by Shchigol and Burchinskaya, 145.

Baskakov, Yu. A., and N. N. Melnikov, A method for the quantitative determination of the esters of phenylcarbamic acid, 135.

Batalin, A. Kh. p-Anisidine – a sensitive reagent for cupric cations, 201.

Belyakov, A.A., see Korenman, I.M.

Berg, L.G., see Teitelbaum, B. Ya.

Bolkina, B.S., see Peregud, E.A

Budanova, L.M., see Kuznetsov, V.I.

Burchinskaya, N.B., see Shchigol, M.B.

Busev, A.I. The direct bromatometric titration of bismuth, iron, copper and other metal hydroxyquinolates, 333.

Chmutov, K.V., see Olshanova, K.M.

Erdey, L. The industrial importance of ascorbinometry, 397.

Fedoseev, P.N., and M. M. Pavlenko. Determination of carbon and hydrogen in organic compounds containing sulfur and nitrogen, in the presence of catalysts, 175.

Filippova, K.I., see Kreshkov, A.P.

Filippova. K.V., see Ryabchikov, D.I.

Florensky. K.P., see Gurevich, M.G.

Gapon, E.N., see Shuvaeva, G.M.

Gokshtein, Ya. P., and Yu. A. Surkov. Oscillographic polarography, 359.

Golubtsova, R.B. The determination of tungsten in multi-component alloys, 119.

Grigoreva, L.F., see Kulberg, L.M.

Gurevich, M.G., and K.P. Florensky. Book review, "Handbook on the testing and analysis of natural gas," A.A. Cherepenikov, 1951, 69.

Ievinsh, A.F., and Ya. K. Ozol. A volumetric method for the determination of potassium, 57.

Ioffe, B.V., and Z.I. Sergeeva. The use of the Lunge nitrometer for the determination of nitrosamines, nitramines, and alkyl nitrates, 263.

Kabanov, B.N., see Polyak, L. Ya,

Kalintschenko, L.I. "Non-destructive spot tests" for iron in copper alloys using dimethylglyoxime in acid solution, 125.

Kaptsan, O.L., and V.A. Teplyakov, High frequency titration, 151.

Karabash, A.G. The use of dithizone as an extraction indicator, 159.

Kartseva, V.D., see Savitskaya, E.M.

Kaverzneva, E.D., and A.S Salova: A specific method for the determination of carbonyl groups in hydroxycelluloses, 405.

Kazansky, B.A., M.I. Rozengart, O.D. Sterligov and G. A. Tarasova. Dispersometric methods for the determination of aromatic hydrocarbons in admixture with hydrocarbons of other classes. Analysis of mixtures not containing unsaturated compounds, 275.

Kleiner, K.E., and L.V. Markova. The effect of hydrogen ion concentration on the formation of indium dithizonate, 309.

Komar, N.P. History of the development of analytical chemistry in Russia. A rational method of checking the composition of a compound from analytical results proposed by P. Einbrodt, 415.

Komlev, A I., and L.I. Tsimbalista. The application of precipitation chromatography in qualitative semi-micro analysis, 243.

Korenman, I.M., and A.A. Belyakov. Microcrystalloscopic reactions for cyanides, 185.

Kozyreva, L.S., see Kuznetsov, V.I.

Kreshkov, A.P., S.S. Vilborg, and K.I. Filippova. A new, qualitative reaction for thiocyanates, 251.

Kreshkov, A.P., S.S. Vilborg, and K.I. Filippova. New color reactions for oxalates and sulfites, 341.

Kukhtevich, I.L., and A.M. Zanko. The application of the liquid interferometer in quantitative analysis. IV. The question of breaks and the determination of the number of fringes between breaks, 93.

Kulberg, L.M., L.A. Molot, and L.F. Grigoreva. The persulfate-cobalt method for determining manganese and chromium in steels and casts in the same aliquot, 411.

Kulberg, L.M., and Mustafin, I.S. The use of dimedon for spot tests for aldehydes, 139.

Kuznetsov, V.I., and L.M. Budanova. The use of a cobalt catalyst for the determination of manganese by the persulfate method, 61.

Kuznetsov, V.I., and L.S. Kozyreva. Analytical reactions of quadrivalent vanadium, 101.

Leushina, I.K., see Teodorovich, I.L.
Lyalikov, Yu. S. The polarography of fused salts, 41.

Markova, L.V., see Kleiner, K.E.
Melnikov, N.N., see Baskakov, Yu. A.
Molot, L.A., see Kulberg, L.M.
Mustafin, I.S., see Kulberg, L.M.

Olshanova, K.M., and K.V. Chmutov. The chromatographic method in qualitative analysis. Part I, 235.
Ozhigov, E.P. A comparative evaluation of qualitative reactions for bismuth carried out by trituration, 193.
Ozol, Ya. K., see Ievinsh, A.F

Pavlenko, M.M., see Fedoseev, P.N.
Peregud, E.A., and B.S. Boikina. Determination of vapors of fluoorganic compounds in air, 197.
Peshkova, V.M., G.A. Goncharova, E.A. Gribova, and L.V. Puzdrenkova. Furyldioxime as a reagent for the gravimetric and colorimetric determination of nickel, 129.
Petrikova, M.N., see Alimarin, I.P.
Petrova, L.N. The determination of primary alcohols, 67.
Pilipenko, A.T. The analytical application of diphenylthiocarbazone (dithizone). IV. The instability constants of the dithizonates of nickel, cobalt, tin (II), bismuth, copper (II), silver, mercury (II) and the dithizonates of manganese and iron, 317.
Plyushchev, V.E., and I.V. Shakhno. The gravimetric determination of lithium, 325.
Polyak, L. Ya., and B.N. Kabanov. A study of the reaction rates of processes occurring during potentiometric titration, 283.
Polyakov, N.N. The determination of copper acetylides in the presence of other copper compounds, 337.
Polyansky, V.N., see Alimarin, I.P.

Rozengart, M.I., see Kazansky, B.A.
Rudnev, N.A. Book review. Qualitative chemical analysis, N.I. Blok, 1952, 267.
Rudnev, N.A. Investigation of the coprecipitation of sulfides by means of radioactive indicators, 1.
Ryabchikov, D.I., and M.M. Senyavin. Chromatographic analysis, 215.
Ryabchikov, D.I., M.M. Senyavin and K.V. Filippova. Comparative characteritics of certain ion-exchange materials. Part II, 247.

Salova, A.S., see Kaverzneva, E.D.
Savinovsky, D.A., see Styunkel, T.B.
Savitskaya, E.M., and V.D.Kartseeva. Physicochemical methods of estimating antibiotics. A colorimetric method for the quantitative determination of streptomycin, 49.
Senyavin, M.M., see Ryabchikov, D.I.
Sergeeva, Z.I., see Ioffe, B.V.
Shakhno, I.V., see Plyushchev, V.E.
Shchigol, M.B., and N.B. Burchinskaya. Reply to A.K. Babko's criticisms of the article, "The quantitative determination of trivalent iron with tetraborate" (J. Anal. Chem., 7, 280 (1952), 205.
Shchukarev, S.A., and S.N. Andreev. An investigation of the possibility of colorimetric analysis in the ultraviolet, 23.
Shostakovsky, M.F., and A.V. Bogdanova. Methods for the analysis of simple halogenated ethers. The analysis of $\alpha$-halogeno-dialkyl and $\alpha$-ethylaryl ethers, 259.
Shuvaeva, G.M., and E.N. Gapon. The secondary adsorption of ions on aluminum oxide aluminate, 53.
Sinyakova, S.I. The application of complexones in polarography. 1. Determination of titanium, 371.
Stekhanov, A.I. Crystalline light filters for the ultra-violet region of the spectrum, 19.
Sterligov, O.D., see Kazansky, B.A.
Stolyarov, K.P., and I.A. Stolyarova. Application of the ultraviolet in analytical chemistry. 3. A photometer for ultraviolet colorimetry, 35.
Stolyarova, I.A. The application of the ultraviolet in analytical chemistry. 4. The colorimetric determination of bismuth in the presence of large amounts of lead, 299.
Stolyarova, I.A., see Stolyarov, K.P.
Styunkel, T.B., E.M. Yakimets, and D.A. Savinovsky. The behavior of certain cations during the complexometric determination of water hardness, 179.
Surkov, Yu. A., see Gokshtein, Ya. P.

Tarasova, G.A., see Kazansky, B.A.
Teitelbaum, B. Ya., and L. G. Berg. Thermal analysis with registration of the volume of gas evolved, 171.
Teodorovich, I.L. Determination of indicator error by the Korenman method from the weight of substance, 203.
Teodorovich, I.L., and I.K. Leushina. Potentiometric titration with the ferriferrocyanide electrode. Determination of copper, 379.
Teplyakov, V.A., see Kaptsan, O.L.
Trofimov, A.V., A carbonate variant for the mass spectrographic analysis of oxygen in water, 393.

Tsimbalista, L.I., see Komlev. A I.
Turanskaya, N.V., see Vainshtein, E.E.

Vainshtein, E.E. A method of calculating photometric curves during a study of X-ray absorption fringes, 347.
Vainshtein, E.E., and N. V. Turanskaya. A quantitative X-ray spectrographic method of analysis. Part II, 385.
Vilborg, S.S., see Kreshkov, A.P.
Vorontsov, R.V., An empirical series of solubilities for the ferrocyanides, 255.

Yakimets, E.M., see Styunkel, T.B.
Yatsimirsky, K.B. The nature of the so-called "weighting effect", 351.

Zanko, A.M., see Kukhtevich, I.I.
Zavgorodny, S.F. The analytical use of potassium manganate hydrolysis, 189.

# SUBJECT INDEX

## 1953


Academy of Sciences, U.S.S.R., announcement of index to chemical publications, 1931-1935, 272.
– The "Akademkniga" Office, books available, 149.
Acetylation method, for the determination of primary alcohols, 67.
Acid Chrome Blue, as indicator in the complexometric determination of water hardness, 180.
Acid chrome Dark Blue, as indicator in the complexometric determination of water hardness, 179.
Adsorbents, for chromatography in inorganic qualitative analysis, 235.
Adsorption, secondary, of ions on aluminum oxide aluminate, 53.
Agricultural chemistry. A method for the quantitative determination of the esters of phenylcarbamic acid, 135.
Alcohols, aliphatic, colorimetric analysis in the ultraviolet, 30.
– primary, determination of, by acetylation method, 67.
Aldehydes, detection using dimedon, 139.
Alimarin, Ivan Pavlovich, fiftieth birthday of, 419.
Alkali metals, nitrates, chlorides, silicates of, as supporting electrolytes for polarographic determinations, 41.
Alloys, determination of manganese in, by the cobalt-persulfate method, 64.
– copper, colorimetric determination of iron in, using dimethylglyoxime, 125.
– multi-component, determination of tungsten in, using Rivanol, 119.
Aluminum oxide aluminate, secondary adsorption of ions on, 53.
Aluminum salts, effect on the kinetics of processes occurring during potentiometric titration, 286.
Amino compounds, mercuriated aromatic as reagents for cyanides, 185.
Ammonium hexathiocyanatochromite, as reagent for bismuth, 193.
Ammonium thiocyanate, as reagent for bismuth, 193.
Analysis, qualitative chemical, N.I. Blok, book review, 267.
– thermal, with registration of the volume of gas evolved, apparatus applications, 171.
Aniline, salt with bivalent copper, as reagent for the detection of thiocyanates, 251.
Aniline tartrate, as reagent for the volumetric determination of potassium, 57.
p-Anisidine, a sensitive reagent for cupric cations, 201.
Ascorbic acid, applications in analytical chemistry, for determination of iron, chlorates, iodates, bromates, vanadium, cerium, 397.
Benzidine and copper (II), as reagent for the detection of sulfites and oxalates, 341.
Bismuth, colorimetric determination of, in the presence of large amounts of lead, 299.
– qualitative reactions for, using trituration technique, with pyrogallol, ammonium thiocyanate, sodium thiosulfate and ammonium hexathiocyanatochromite, 193.
Books, available, publications of the Academy of Sciences, U.S.S.R., 149.
Book review. Handbook on the testing and analysis of natural gas, A.A. Cherepenikov, 69.
Bromates, determination using ascorbic acid, 402.

Carbon, determination in organic compounds containing sulfur and nitrogen, in the presence of catalysts, 175.
Carbonyl groups, determination in hydroxycellulose using hydroxylamine hydrochloride, 405.
Cations, behavior during complexometric determination of water hardness, 179.
Cellulose, hydroxy-, determination of carbonyl groups in, using hydroxylamine hydrochloride, 405.
Cerium, quinquevalent, determination using ascorbic acid, 403.
Chernikov, Yu. A., 60th birthday of, 209.
Chlorates, determination using ascorbic acid, 400.
Chlorides, of lithium, sodium, potassium, solubility in n-propyl alcohol at 25°, 327.
Chromatographic analysis
  Comparative characteristics of certain ion-exchange materials, 247.
  Review, adsorption; partition; ion-exchange; apparatus, 215.
  The application of precipitation chromatography in qualitative semi-micro analysis, 243.
  The chromatographic method in qualitative analysis, 235.
  The secondary adsorption of ions on aluminum oxide aluminate, 53.
Chromatography, announcement of conference, 1953, 271.
Chromium, determination in steels and casts by the persulfate-cobalt method, 411.
Chromogen Black ET-00, as indicator in complexometric determination of water hardness, 179.
Coal, method for the determination of carbon and hydrogen in, 175.
Cobalt, as catalyst for the determination of manganese by the persulfate method, 61.
– traces, of iron in, determination by ultraviolet colorimetry, 37.

Colorimetric analysis
An investigation of the possibility of colorimetric analysis in the ultraviolet, 23.
Application of the ultraviolet in analytical chemistry. A photometer for ultraviolet colorimetry, 35.
Colorimetric determination of bismuth in the presence of large amounts of lead, 299.
Colorimetric method for the quantitative determination of streptomycin, 49.
Determination of vapors of fluoorganic compounds in air, 197.
Furyldioxime as a reagent for the determination of nickel, 129.
"Non-destructive spot tests" for iron in copper alloys using dimethylglyoxime in acid solution, 125.
Complexometric analysis. The behavior of certain cations during the complexometric determination of water hardness, 179.
Complexones, application in polarography. Determination of titanium, 371.
Conference, Ukrainian, on chemical control in the metallurgical and metal-working industries, 211.
Copper, potentiometric titration with the ferri-ferrocyanide electrode, 379.
– (II) and benzidine, as a reagent for the detection of sulfites and oxalates, 341.
– (bivalent), salt with aniline, as reagent for the detection of thiocyanates, 251.
– acetylides, determination in the presence of other copper compounds, apparatus, 337.
– (cupric) cations, detection with p-anisidine, 201.
– furyldioxime, light absorption curve for, 133.
Cyanides, microcrystalloscopic reactions for, using mercuriated aromatic amino compounds, 185.
Current, limiting, of reducible ion, in indifferent electrolyte, 77.

Diffusion of electrolytes and the polarographic method. The limiting current of the reducible ion on the dropping mercury cathode, 77.
Dimedon, as reagent for the detection of aldehydes, 139.
5,5-Dimethylcyclohexane-1,3-dione, see dimedon.
Dimethylglyoxime, as reagent for the colorimetric determination of iron in copper alloys, 125.
Dispersometric methods for the determination of aromatic hydrocarbons, 275.
Dithizonates of nickel, cobalt, tin (II), bismuth, copper (II), silver, mercury (II), manganese, and iron, composition, light absorption curves, instability constants, equilibrium concentrations, 317.
Dithizone, analytical application of, 317.
– as an extraction indicator, 159.
– as reagent for the determination of indium, 309.
Dolomite, thermogram for, 173.

Electrochemistry. The ultra-micro method of chemical analysis. The electrolytic separation and detection of metals, 11.
Electrolytes, diffusion of, and the polarographic method. The limiting current of the reducible ion on the dropping mercury cathode, 77.
– effect on the kinetics of processes occurring during potentiometric titration, 283.
Esters of phenylcarbamic acid, see phenylcarbamic acid.
Ether, for the extraction of molybdenum from hydrochloric acid solutions, 293.
Ethers, α-halogeno-dialkyl, α-ethylaryl, constants, methods of analysis of, 259.
Extraction apparatus, for automatic extraction with ether, 297.

Ferrocyanide, system with ferricyanide, kinetics of potentiometric titrations, 283.
Ferrocyanides, metal, empirical series of solubilities for, 255.
Filters, light, crystalline, for colorimetric analysis in the ultraviolet, 23.
– light, crystalline, for the ultraviolet region of the spectrum, 19.
Fluoorganic compounds, determination of vapors of, in air, 197.
Furyldioxime, as a reagent for the gravimetric and colorimetric determination of nickel, 129.

Gas analysis. Thermal analysis with registration of the volume of gas evolved, 171.
Gas, natural, handbook on the testing and analysis of, book review, 69.
Glasses, borate, as light filters for colorimetric analysis in the ultraviolet, transmission curves, 25.
Gravimetric analysis. Furyldioxime as a reagent for the determination of nickel, 129.
– The determination of tungsten in multicomponent alloys, 119.
– The gravimetric determination of lithium, 325.

Historical chemistry. History of the development of analytical chemistry in Russia. A rational method of checking the composition of a compound from analytical results proposed by P. Einbrodt, 415.
Hydrocarbons, colorimetric analysis in the ultraviolet, 27.
– aromatic, determination of, by dispersometric

methods, in admixture with hydrocarbons of other classes, 275.
Hydrogen, determination in organic compounds, containing sulfur and nitrogen, in the presence of catalysts, 175.
Hydrogen ion concentration, effect on the formation of indium dithizonate, 309.
Hydrolysis, potassium manganate, analytical use of, 189.
Hydroxylamine, as reagent for the determination of carbonyl groups in hydroxycelluloses, 405.
Hydroxylamine hydrochloride, as reducing agent in the complexometric determination of water hardness, 181.
Hydroxyquinolates, of metals, direct bromatometric titration of, 333.

Indicator error, determination by the Korenman method, 203.
Indicators, extraction, applications of, use of dithizone and lead dithizonate as, 151.
– radioactive, coprecipitation of sulfides with, 1.
– water soluble sulfonphthalein, new reagent for the colorimetric determination of pH, 71.
Indium dithizonate, the effect of hydrogen ion concentration on the formation of, 309.
Inorganic chemistry. Applications of chromatographic analysis in, adsorbents, 235.
Instability constants of the dithizonates of nickel, cobalt, tin (II), bismuth, copper (II), silver, mercury (II), 317.
Interferometer, liquid, application in quantitative analysis. Determination of the number of fringes between breaks, 93.
Iodates, determination using ascorbic acid, 401.
Ion-exchange materials, for chromatography, physical properties of, 247.
Ions, secondary adsorption on aluminum oxide aluminate, 53
Iron, cast, determination of manganese and chromium in, by the persulfate-cobalt method, 411.
Iron, colorimetric determination in copper alloys using dimethylglyoxime, 125.
– traces of, determination in cobalt by ultraviolet colorimetry, 37.
Iron trivalent, determination using ascorbic acid, 398.
– quantitative determination by means of tetraborate, criticism of, 145.
– trivalent, quantitative, determination with tetraborate, reply to criticisms of article, 205.

Ketones, aliphatic colorimetric analysis in the ultraviolet, 30.
Kinetics of processes occurring during potentiometric titration, 283.
– chemical, announcement of conference on, 1953, 271.
Korenman method for the determination of indicator error, 203.

Lead, colorimetric determination of bismuth in the presence of large amounts of, 299.
Light filters, see filters, light.
Lithium, gravimetric determination of, 325.

Magnesium sulfate, thermogram for, 173.
Manganese, determination by the persulfate method, using cobalt as catalyst, 61.
– determination in steels and casts by the persulfate-cobalt method, 411.
Mercury acetates, aromatic amino derivatives of, as reagents for cyanides, 185.
Metals, electrolytic detection and separation of, on the ultra-micro scale, apparatus, 11.
– heavy, effect on the colorimetric determination of bismuth, 305.
Metallurgical chemistry. Ukrainian conference on chemical control in the metallurgical and metal-working industries, 211.
Micro analysis. Microcrystalloscopic reactions for cyanides, 185.
– The ultra-micro method of chemical analysis. The electrolytic separation and detection of metals, 11.
Molybdenum, extraction from hydrochloric acid solutions by means of ether, 295.

Nickel, gravimetric and colorimetric determination using furyldioxime, 129.
Nickel furyldioxime, light absorption curve for, 131.
Nitramines, determination by the Lunge nitrometer, 263.
Nitrates, alkyl, determination by the Lunge nitrometer, 263.
Nitrometer, Lunge, for the determination of nitrosamines, nitramines, and alkyl nitrates, 263.
Nitrosamines, determination by the Lunge nitrometer, 263.

Obituary notice, Iosef Vissarionovich Stalin, 75.
Organic compounds, containing sulfur and nitrogen, determination of carbon and hydrogen in, in the presence of catalysts, 175.
Oxalates, new color reaction using copper (II) and benzidine, 341.
Oxygen, in water, mass spectrographic analysis of, carbonate variant for, 393.

Paris Green, potentiometric determination of CuO in, 383.
Petroleum, method for the determination of carbon and hydrogen in, 175.
Phenylcarbamic acid, esters of, method for the quantitative determination of, 135.
Phenylhydrazine, 2,4-dinitro, as reagent for the colorimetric determination of streptomycin, 49.

Photometer, for ultraviolet colorimetry, 35.
Photometric curves, method for calculating during a study of x-ray absorption fringes, 347.
Polarograph, oscillographic, description, applications, 359.
Polarographic analysis. Diffusion of electrolytes and the polarographic method. The limiting current of the reducible ion on the dropping mercury cathode, 77.
– The application of complexones in polarography. Determination of titanium, 371.
– The polarography of fused salts, 41.
Potassium, volumetric determination with aniline or pyridine tartrate, 57.
Potassium chloride, thermogram for, 174.
Potassium halides, crystalline, as light filters for the ultra-violet region of the spectrum, 19.
– crystalline, as light filters in the ultraviolet, 23.
Potassium manganate-permanganate solutions, mechanism of hydrolysis of, error in analysis of, 189.
Potassium permanganate, determination in admixture with manganate, 189.
Potentiometric analysis. A study of the reaction rates of processes occurring during potentiometric titration, 283.
– Potentiometric titration with the ferriferrocyanide electrode. Determination of copper, 379.
Precipitation, of sulfides, with radioactive indicators, 1.
Pyridine tartrate, as reagent for the volumetric determination of potassium, 57.
Pyrogallol, as reagent for bismuth, 193.

Qualitative analysis. A comparative analysis of qualitative reactions for bismuth carried out by trituration, 193.
– A new, qualitative reaction for thiocyanates, 251.
– New color reactions for oxalates and sulfites, 341.
– The application of precipitation chromatography in qualitative semi-micro analysis, 243.
– The use of Dimedon for spot tests for aldehydes, 139.
Quantitative analysis. Dispersometric methods for the determination of aromatic hydrocarbons in admixture with hydrocarbons of other classes. Analysis of mixtures not containing unsaturated compounds, 275.
– The analytical use of potassium manganate hydrolysis, 189.
– The application of the liquid interferometer in quantitative analysis. The question of breaks and the determinationof the number of fringes between breaks, 93.
– Determination of carbon and hydrogen in organic compounds containing sulfur and nitrogen, in the presence of catalysts, 175.
Quinoline, 8-hydroxy, direct bromatometric titration of, 333.

Reagents, new. Water soluble sulfonphthalein indicators, for the colorimetric determination of pH, 71.
– organic, solubility of, and influence of introduction of various groups, 351.
Rivanol, as reagent for the determination of tungsten in multi-component alloys, 119.

Salts, fused, polarography of, 41.
Silver chromate solutions, use with dimedon, for the detection of aldehydes, 139.
Sodium thiosulfate, as reagent for bismuth, 193.
Solubility, of lithium, sodium and potassium chlorides in n-propyl alcohol at 25°, 327.
– of metal ferrocyanides, empirical series for, 255.
– of organic compounds in water and the influence of the introduction of various groups, 351.
Spectrographic analysis. A carbonate variant for the mass spectrographic analysis of oxygen in water, 393.
– A method of calculating photometric curves during a study of x-ray absorption fringes, 347.
– A quantitative x-ray spectrographic method of analysis, 385.
– An investigation of the possibility of colorimetric analysis in the ultraviolet, 23.
– Crystalline light filters for the ultraviolet region of the spectrum, 19.
Stalin, Iosif Vissarionovich, obituary notice, 75.
Steel, determina ion of manganese and chromium in, by the persulfate-cobalt method, 411.
Streptomycin, colorimetric determination of, using dinitrophenylhydrazine, 49.
Sulfides, metallic, properties, composition, conditions for formation, coprecipitation with radioactive indicators, 1.
Sulfites, new color reaction, using copper (II), and benzidine, 341.
System, $Fe(CN)_6^{3-}$ – $H_2Fe(CN)_6^{2-}$, kinetics of potentiometric titration in, 283.
Systems, binary, of hydrocarbons, dispersion of, 279.

Thiocyanates, new qualitative reaction for, based on precipitation with an acetic acid solution of a salt of bivalent copper with aniline, 251.
Titanium, polarographic determination with Trilon B, influence of iron, vanadium, copper and chromium, 371.
Titration, high frequency, theory of, apparatus, 151.
Trilon B (ethylenediaminetetracetic acid, dibasic sodium salt), use in the determination of water

hardness, 179.
Trilon B, for polarographic determination of titanium, 371.
Tungsten, determination in multi-component alloys, using Rivanol, 119.

Ultraviolet, application in analytical chemistry. Colorimetric determination of bismuth in the presence of large amounts of lead, 299.
– application in analytical chemistry, photometer, 35.
– colorimetric analysis in, 23.
– crystalline light filters for, 19.

Vanadium, quadrivalent, analytical reactions of, inorganic and organic precipitants, color reactions, masking complexing agents, oxidation-reduction reactions, 101.
– quinquevalent, determination, using ascorbic acid, 402.
Volumetric analysis. A method for the quantitative determination of the esters of phenylcarbamic acid, 135.
– High frequency titration, 151.
– The direct bromatometric titration of bismuth, iron, copper and other metal hydroxyquinolates, 333.
– The use of dithizone as an extraction indicator, 159.
– Volumetric method for the determination of potassium, 57.

Water, behavior of certain cations during the complexometric determination of hardness of, 179.
– mass spectrographic determination of oxygen in, carbonate variant for, 393.

Zelinsky, Nikolai Dmitrievich, obituary notice, 273.
Zinc, kinetics of potentiometric titration with ferrocyanide, 283.